











Light up large spaces efficiently with the ECO Series Slim Line Flood Light! With 140 lm/W and 28,000 lumens of cool, crisp 5000K light, it delivers powerful illumination in a durable, IP65-rated design. Easy installation with flex and AU plug, plus a 30m cable for flexible mounting—perfect for indoor or outdoor use. Backed by a 3-year warranty, this is high-output lighting made simple and sustainable.

- IP65
- Economy range offering great value for money
- Energy efficient lighting with efficacy of 140 lm/W
- High performance coating for rust prevention
- Instant full bright when powered
- New slimline, light weight design
- Superior heat dissipation









SPECIFICATIONS

ECO SLIM FLOOD LIGHT

Code	ETG-02OF074	ETG-02OF078
Power (W)	50W	200W
Lumen (lm)	7000	28,000
Dimension (mm) (LWH)	320 x 239 x 53	480 x 379 x 63
CCT (K)	5000K	4000K (Optional 3000K / 5000K)
Efficacy	140 lm/W	
IP/IK Rating	IP65 / IK07	
Input Voltage	220 ~ 240 V AC / 50Hz	
PF	>0.95	
Operating Temp	-30°C to +50°C (10% to 90% RH)	
CRI	>70 / (>80 Optional)	
LED Chip / Driver	LUMILEDS / SOSEN	
Material	ALUMINIUM, GLASS, PC LENS	
Colour	Body Colour: Black	
Beam Angle	120° (Optional 30° / 60° / 90° / Type 3, 4, & 5)	
Lifespan	50,000 hours	
Warranty	5 years	



